



製銑作業狀況調(年度別高炉別一覽表)

7-4/7

7年6月 企画課 計画係

年度	高炉別	出銑量(年産)			対予定生産率	日産実績	高級銑生産比率			銑滓量		水滓量(年産)	休風	出銑歩留	鉄分歩留	主要銑石配合率			主要銑石鉄分含有率			原銑石平均品位		備考
		豫定	実績	馳			錯物銑	平炉銑	計	年産	銑当					時分	燒結銑	富銑	貧銑	燒結銑	富銑	貧銑	F.c	
康德二年度	1	130,000	139,931	61	107.6	382	68.0	1.2	69.2	不詳		26,620	260-0	57.68	96.24	62.47	35.67	-	53.67	56.42	-	54.65	19.43	
	2	150,000	149,617	16	99.7	409	35.5	4.7	77.2	'		35,793	286-4	59.25	97.21	64.48	35.07	-	'	56.30	-	54.58	19.62	
	3	180,000	182,176	98	101.2	498	22.5	5.7	79.5	'		852	508-34	60.75	98.04	72.23	26.91	-	'	57.69	-	54.88	19.25	
	計	460,000	471,725	750	102.6	1,289	40.0	3.5	75.6	'		63,265	1,055-16	59.34	97.28	62.79	32.18	-	53.67	56.70	-	54.72	19.42	
康德三年度	1	156,800	144,317	21	105.5	395	63.1	1.5	64.6	不詳		20,980	195-21	60.36	98.03	62.70	36.57	-	54.04	58.73	-	55.88	17.18	
	2	151,200	157,680	70	104.3	432	32.4	4.2	76.6	'		31,260	151-30	60.64	95.74	70.46	29.47	-	'	59.23	-	55.78	17.74	
	3	182,000	189,505	56	104.1	519	49.2	3.8	82.0	'		-	301-5	63.93	99.98	74.26	25.00	-	'	60.56	-	55.95	17.62	
	計	470,000	491,503	47	104.6	1,346	47.8	2.7	75.1	'		52,240	647-56	61.70	98.10	69.54	29.96	-	54.04	59.63	-	55.87	17.71	
康德四年度	1	131,000	136,389	54	104.1	374	55.6	1.5	57.1	不詳		24,497	258-54	60.54	97.65	54.28	42.89	0.18	54.34	58.08	42.84	56.23	17.31	4高炉入り
	2	153,000	157,219	14	102.8	431	51.2	1.4	65.5	'		22,599	217-4	61.85	98.49	69.71	27.89	2.40	'	59.83	40.00	55.55	17.85	4-5-7
	3	182,000	187,639	35	103.8	514	58.8	2.6	79.4	'		-	343-9	62.46	97.61	68.22	30.81	-	'	60.12	-	56.44	16.82	
	計	653,000	677,393	25	103.7	1,846	52.3	1.7	69.4	'		70,410	1,022-59	62.25	98.42	66.36	32.44	0.56	54.34	59.67	40.11	56.16	17.14	
康德五年度	1	64,600	86,889	46	134.5	306	49.6	1.0	50.6	75.405	0.868	18,869	349-50	60.56	98.09	53.39	45.49	0.06	54.58	57.64	26.80	55.96	17.60	入り
	2	153,300	129,164	25	84.3	354	43.6	3.8	47.4	120.906	0.936	23,519	258-45	53.98	96.33	38.59	33.98	27.04	54.23	57.33	37.49	50.81	25.41	16.5 5 ¹¹ / ₁₂
	3	158,000	158,587	35	100.4	439	47.9	3.7	51.6	146.895	0.926	2,690	540-39	59.62	94.35	56.73	42.58	0.24	54.33	56.30	38.05	55.30	18.38	16.6 5 ³ / ₁₂
	4	219,000	182,900	68	83.5	503	43.8	5.2	49.0	155.682	0.851	27,761	293-42	61.30	96.96	59.77	40.16	-	54.30	58.77	-	56.13	17.43	16.7 6 ⁷ / ₁₂
	5	132,500	90,678	39	68.4	466	41.9	10.5	52.4	93.451	1.031	-	520-25	63.74	100.33	50.39	45.20	4.41	53.66	57.55	40.11	54.82	17.24	16.8 6 ¹⁴ / ₁₂
	6	132,500	43,495	56	32.8	478	56.7	1.0	56.7	46.369	1.066	-	124-47	64.83	102.33	45.50	53.40	1.10	52.28	56.31	40.6	54.76	18.90	吹卸
	7	116,400	2,268	25	2.0	90	40.2	-	40.2	2.841	1.253	-	147-16	49.72	77.46	31.53	68.47	-	54.38	56.67	-	55.94	19.94	16.1 6 ⁹ / ₁₂
	計	687,000	19,387	15	28.2	421	41.6	0.4	42.0	21.100	1.088	-	92-45	59.67	91.73	44.91	53.46	1.63	54.02	56.85	36.93	55.26	18.39	16.3 5 ²⁹ / ₁₂
康德六年度	1	93,800	92,760	1	98.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2	137,550	105,859	31	77.0	289	35.2	-	35.2	85.824	0.811	20,149	283-0	58.75	93.10	42.47	48.24	0.89	54.80	58.63	38.45	57.00	17.23	
	4	190,010	144,892	28	76.3	396	23.0	-	23.0	114.371	0.789	47,632	330-32	57.49	92.26	42.31	51.70	5.40	54.35	57.75	37.37	55.38	18.68	
	5	235,160	152,529	26	64.8	417	52.0	5.3	57.3	162.582	1.066	-	387-28	58.20	94.31	47.42	48.44	4.14	54.34	57.87	38.54	55.41	18.44	
	6	235,160	153,085	36	65.1	418	23.9	0.2	24.1	184.397	1.205	-	586-41	54.15	94.12	37.24	37.85	24.91	54.38	58.21	38.10	51.77	23.80	
	7	224,550	156,455	98	69.7	428	44.5	1.0	45.5	164.193	1.049	-	544-48	58.01	94.68	38.27	52.26	8.99	54.38	58.78	37.32	54.94	19.94	
	8	231,020	165,240	22	71.5	451	52.7	4.8	57.5	157.207	0.951	-	614-52	57.33	92.83	50.97	49.02	-	54.33	57.68	-	55.94	17.51	
	計	1,440,000	878,062	41	61.0	2,899	39.0	2.0	41.0	868.574	0.977	67,781	2,747-21	57.21	93.57	43.18	47.83	7.84	54.34	58.03	37.90	54.94	19.38	

1000000000

0.987

x印 富銑

